L Number	Hits	Search Text	DB	Time stamp
1	0	collblob and (709/$3 or 370/$6 or 714/$6 or 379/$6 or 455/$6).ccls. and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 09:44
2	13007	((recover$3 or reestablish$3 or re-establish$3) near10 (TCP/IP or link or session or connection)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 09:43
3	76	(((recover$3 or reestablish$3 or re-establish$3) near10 (TCP/IP or link or session or connection)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)) and watermark	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 09:12
4	64	((((recover$3 or reestablish$3 or re-establish$3) near10 (TCP/IP or link or session or connection)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)) and watermark) and synchronization	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 09:13
5	1	((((recover$3 or reestablish$3 or re-establish$3) near10 (TCP/IP or link or session or connection)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)) and watermark) and synchronization with watermark	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 09:13
6	1630	((recover$3 or reestablish$3 or re-establish$3) near10 (TCP/IP or link or session or connection) with (failed or failure or error)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 09:45
7	798	((recover$3 or reestablish$3 or re-establish$3) near10 (synchronization) with (failed or failure or error)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 09:58
8	4	(((recover$3 or reestablish$3 or re-establish$3) near10 (synchronization) with (failed or failure or error)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)) and detect$3 with fail$3 with synchronization with compar$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 09:57
9	4	(((recover$3 or reestablish$3 or re-establish$3) near10 (synchronization) with (failed or failure or error)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)) and (detect$3 or check$3 or determin$3) with fail$3 with synchronization with compar$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 10:11
10	885	((recover$3 or restor$3 or reestablish$3 or re-establish$3) near10 (synchronization) with (failed or failure or error)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 10:01
11	50	(((recover$3 or restor$3 or reestablish$3 or re-establish$3) near10 (synchronization) with (failed or failure or error)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)) and (detect$3 or check$3 or determin$3) with (error or fail$3) with synchronization with compar$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 10:03
12	8	((((recover$3 or restor$3 or reestablish$3 or re-establish$3) near10 (synchronization) with (failed or failure or error)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)) and (detect$3 or check$3 or determin$3) with (error or fail$3) with synchronization with compar$4) and server and request	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 09:59
13	8	((recover$3 or restor$3 or reestablish$3 or re-establish$3) near10 (synchronization).ti,ab.) and request and server and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 10:09

14	0	(((recover$3 or restor$3 or reestablish$3 or re-establish$3) near10 (synchronization).ti,ab.) and request and server and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)) and (detect$3 or check$3 or determin$3) with (error or fail$3) with synchronization with compar$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 10:14
15	1	(((recover$3 or restor$3 or reestablish$3 or re-establish$3) near10 (synchronization).ti,ab.) and request and server and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)) and (detect$3 or check$3 or determin$3) with (error or fail$3) with synchronization	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 10:03
16	707	((recover$3 or restor$3 or reestablish$3 or re-establish$3) near10 (synchronization).ti,ab.) and (synchron$7 near10 (store or storage or data or information or database or data adj base)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 10:54
17	2	(((recover$3 or restor$3 or reestablish$3 or re-establish$3) near10 (synchronization).ti,ab.) and (synchron$7 near10 (store or storage or data or information or database or data adj base)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)) and (detect$3 or check$3 or determin$3) with fail$3 with synchronization with compar$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 10:12
18	99	((recover$3 or restor$3 or reestablish$3 or re-establish$3) near10 (synchronization).ti,ab.) and (synchron$7 near10 between near5 (store or storage or data or information or database or data adj base)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 10:55
20	7	((((recover$3 or restor$3 or reestablish$3 or re-establish$3) near10 (synchronization).ti,ab.) and (synchron$7 near10 between near5 (store or storage or data or information or database or data adj base)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)) and (detect$3 or check$3 or determin$3) with (error or fail$3) with synchronization) and compar$4 with (previous or prior or last) near5 synchronization	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 11:00
21	7	((((recover$3 or restor$3 or reestablish$3 or re-establish$3) near10 (synchronization).ti,ab.) and (synchron$7 near10 between near5 (store or storage or data or information or database or data adj base)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)) and (detect$3 or check$3 or determin$3) with (error or fail$3) with synchronization) and compar$4 with (previous or prior or last or latest) near5 synchronization	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 10:15
22	13	(((recover$3 or restor$3 or reestablish$3 or re-establish$3) near10 (synchronization).ti,ab.) and (synchron$7 near10 between near5 (store or storage or data or information or database or data adj base)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)) and request$3 near5 synchronization	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 10:58
19	31	(((recover$3 or restor$3 or reestablish$3 or re-establish$3) near10 (synchronization).ti,ab.) and (synchron$7 near10 between near5 (store or storage or data or information or database or data adj base)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)) and (detect$3 or check$3 or determin$3) with (error or fail$3) with synchronization	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 10:57

23	21	(((((recover$3 or restor$3 or reestablish$3 or re-establish$3) near10 (synchronization).ti,ab.) and (synchron$7 near10 between near5 (store or storage or data or information or database or data adj base)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)) and (detect$3 or check$3 or determin$3) with (error or fail$3) with synchronization) not ((((((recover$3 or restor$3 or reestablish$3 or re-establish$3) near10 (synchronization).ti,ab.) and (synchron$7 near10 between near5 (store or storage or data or information or database or data adj base)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)) and (detect$3 or check$3 or determin$3) with (error or fail$3) with synchronization) and compar$4 with (previous or prior or last or latest) near5 synchronization) or ((((recover$3 or restor$3 or reestablish$3 or re-establish$3) near10 (synchronization).ti,ab.) and (synchron$7 near10 between near5 (store or storage or data or information or database or data adj base)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)) and request$3 near5 synchronization))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 10:59
24	0	(((((recover$3 or restor$3 or reestablish$3 or re-establish$3) near10 (synchronization).ti,ab.) and (synchron$7 near10 between near5 (store or storage or data or information or database or data adj base)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)) and (detect$3 or check$3 or determin$3) with (error or fail$3) with synchronization) not ((((((recover$3 or restor$3 or reestablish$3 or re-establish$3) near10 (synchronization).ti,ab.) and (synchron$7 near10 between near5 (store or storage or data or information or database or data adj base)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)) and (detect$3 or check$3 or determin$3) with (error or fail$3) with synchronization) and compar$4 with (previous or prior or last or latest) near5 synchronization) or ((((recover$3 or restor$3 or reestablish$3 or re-establish$3) near10 (synchronization).ti,ab.) and (synchron$7 near10 between near5 (store or storage or data or information or database or data adj base)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)) and request$3 near5 synchronization))) and server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 10:48
25	6	(((((recover$3 or restor$3 or reestablish$3 or re-establish$3) near10 (synchronization).ti,ab.) and (synchron$7 near10 between near5 (store or storage or data or information or database or data adj base)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)) and (detect$3 or check$3 or determin$3) with (error or fail$3) with synchronization) not ((((((recover$3 or restor$3 or reestablish$3 or re-establish$3) near10 (synchronization).ti,ab.) and (synchron$7 near10 between near5 (store or storage or data or information or database or data adj base)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)) and (detect$3 or check$3 or determin$3) with (error or fail$3) with synchronization) and compar$4 with (previous or prior or last or latest) near5 synchronization) or ((((recover$3 or restor$3 or reestablish$3 or re-establish$3) near10 (synchronization).ti,ab.) and (synchron$7 near10 between near5 (store or storage or data or information or database or data adj base)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)) and request$3 near5 synchronization))) and request	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 10:49
26	4125	((recover$3 or restor$3 or reestablish$3 or re-establish$3) near10 (synchronization)) and (synchron$7 near10 (store or storage or data or information or database or data adj base)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 10:54

27	449	(((recover$3 or restor$3 or reestablish$3 or re-establish$3) near10 (synchronization)) and (synchron$7 near10 (store or storage or data or information or database or data adj base)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)) and ((recover$3 or restor$3 or reestablish$3 or re-establish$3) near10 (synchronization)) and (synchron$7 near10 between near5 (store or storage or data or information or database or data adj base)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627) and (709/$3 or 370/$6 or 714/$6 or 379/$6 or 455/$6 or 707/$6).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 10:57
28	107	((((recover$3 or restor$3 or reestablish$3 or re-establish$3) near10 (synchronization)) and (synchron$7 near10 (store or storage or data or information or database or data adj base)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)) and ((recover$3 or restor$3 or reestablish$3 or re-establish$3) near10 (synchronization)) and (synchron$7 near10 between near5 (store or storage or data or information or database or data adj base)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627) and (709/$3 or 370/$6 or 714/$6 or 379/$6 or 455/$6 or 707/$6).ccls.) and (server and request)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 10:57
29	46	(((((recover$3 or restor$3 or reestablish$3 or re-establish$3) near10 (synchronization)) and (synchron$7 near10 (store or storage or data or information or database or data adj base)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)) and ((recover$3 or restor$3 or reestablish$3 or re-establish$3) near10 (synchronization)) and (synchron$7 near10 between near5 (store or storage or data or information or database or data adj base)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627) and (709/$3 or 370/$6 or 714/$6 or 379/$6 or 455/$6 or 707/$6).ccls.) and (server and request)) and (detect$3 or check$3 or determin$3) with (error or fail$3) with synchronization	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 10:58
30	36	((((((recover$3 or restor$3 or reestablish$3 or re-establish$3) near10 (synchronization)) and (synchron$7 near10 (store or storage or data or information or database or data adj base)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)) and ((recover$3 or restor$3 or reestablish$3 or re-establish$3) near10 (synchronization)) and (synchron$7 near10 between near5 (store or storage or data or information or database or data adj base)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627) and (709/$3 or 370/$6 or 714/$6 or 379/$6 or 455/$6 or 707/$6).ccls.) and (server and request)) and (detect$3 or check$3 or determin$3) with (error or fail$3) with synchronization) and request$3 near5 synchronization	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 10:58
31	36	(((((((recover$3 or restor$3 or reestablish$3 or re-establish$3) near10 (synchronization)) and (synchron$7 near10 (store or storage or data or information or database or data adj base)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)) and ((recover$3 or restor$3 or reestablish$3 or re-establish$3) near10 (synchronization)) and (synchron$7 near10 between near5 (store or storage or data or information or database or data adj base)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627) and (709/$3 or 370/$6 or 714/$6 or 379/$6 or 455/$6 or 707/$6).ccls.) and (server and request)) and (detect$3 or check$3 or determin$3) with (error or fail$3) with synchronization) and request$3 near5 synchronization) not ((((recover$3 or restor$3 or reestablish$3 or re-establish$3) near10 (synchronization).ti,ab.) and (synchron$7 near10 between near5 (store or storage or data or information or database or data adj base)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)) and (detect$3 or check$3 or determin$3) with (error or fail$3) with synchronization)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 11:00

32	7	((((((((recover$3 or restor$3 or reestablish$3 or re-establish$3) near10 (synchronization)) and (synchron$7 near10 (store or storage or data or information or database or data adj base)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)) and ((recover$3 or restor$3 or reestablish$3 or re-establish$3) near10 (synchronization)) and (synchron$7 near10 between near5 (store or storage or data or information or database or data adj base)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627) and (709/$3 or 370/$6 or 714/$6 or 379/$6 or 455/$6 or 707/$6).ccls.) and (server and request)) and (detect$3 or check$3 or determin$3) with (error or fail$3) with synchronization) and request$3 near5 synchronization) not ((((recover$3 or restor$3 or reestablish$3 or re-establish$3) near10 (synchronization).ti,ab.) and (synchron$7 near10 between near5 (store or storage or data or information or database or data adj base)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)) and (detect$3 or check$3 or determin$3) with (error or fail$3) with synchronization)) and compar$4 with (previous or prior or last) near5 synchronization	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 11:00
-	81	recover$3 near10 (session or connection) with client with server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 10:04
-	1236	recover$3 near10 (session or connection) and (709/$3 or 370/$6 or 714/$6 or 379/$6).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 10:05
-	45	(recover$3 near10 (session or connection) with client with server) and (recover$3 near10 (session or connection) and (709/$3 or 370/$6 or 714/$6 or 379/$6).ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 09:47
-	36	((recover$3 near10 (session or connection) with client with server) and (recover$3 near10 (session or connection) and (709/$3 or 370/$6 or 714/$6 or 379/$6).ccls.)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 14:58
-	16	(((recover$3 near10 (session or connection) with client with server) and (recover$3 near10 (session or connection) and (709/$3 or 370/$6 or 714/$6 or 379/$6).ccls.)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)) and synchron$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 10:06
-	1	((((recover$3 near10 (session or connection) with client with server) and (recover$3 near10 (session or connection) and (709/$3 or 370/$6 or 714/$6 or 379/$6).ccls.)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)) and synchron$7) and synchron$7 near3 state	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 10:06
-	272	(recover$3 or reestablish$3 or re-establish$3) near10 (session or connection) with client with server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 14:57
-	2769	(recover$3 or reestablish$3 or re-establish$3) near10 (session or connection) and (709/$3 or 370/$6 or 714/$6 or 379/$6).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 10:48
-	119	(((recover$3 or reestablish$3 or re-establish$3) near10 (session or connection) with client with server) and ((recover$3 or reestablish$3 or re-establish$3) near10 (session or connection) and (709/$3 or 370/$6 or 714/$6 or 379/$6).ccls.)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 10:48

-	52	((((recover$3 or reestablish$3 or re-establish$3) near10 (session or connection) with client with server) and ((recover$3 or reestablish$3 or re-establish$3) near10 (session or connection) and (709/$3 or 370/$6 or 714/$6 or 379/$6).ccls.)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)) and synchron$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 10:06
-	7	(((((recover$3 or reestablish$3 or re-establish$3) near10 (session or connection) with client with server) and ((recover$3 or reestablish$3 or re-establish$3) near10 (session or connection) and (709/$3 or 370/$6 or 714/$6 or 379/$6).ccls.)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)) and synchron$7) and synchron$7 near3 state	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 10:09
-	55	(recover$3 or reestablish$3 or re-establish$3) near10 (session or connection) near5 (failed or failure) near10 "between"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 10:44
-	49	((recover$3 or reestablish$3 or re-establish$3) near10 (session or connection) near5 (failed or failure) near10 "between") and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 10:45
-	18	(((recover$3 or reestablish$3 or re-establish$3) near10 (session or connection) near5 (failed or failure) near10 "between") and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)) and synchron$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 10:09
-	7	(((recover$3 or reestablish$3 or re-establish$3) near10 (session or connection) near5 (failed or failure) near10 "between") and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)) and synchron$7 near3 (parameter or key or status or state)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 10:49
-	0	(((recover$3 or reestablish$3 or re-establish$3) near10 (session or connection) near5 (failed or failure) near10 "between") and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)) and (portable or portal or mobile) adj3 (device or PC or component or unit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 10:46
-	13	((((recover$3 or reestablish$3 or re-establish$3) near10 (session or connection) with client with server) and ((recover$3 or reestablish$3 or re-establish$3) near10 (session or connection) and (709/$3 or 370/$6 or 714/$6 or 379/$6).ccls.)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)) and (portable or portal or mobile) adj3 (device or PC or component or unit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 10:49
-	3113	(recover$3 or reestablish$3 or re-establish$3) near10 (session or connection) and (709/$3 or 370/$6 or 714/$6 or 379/$6 or 455/$6).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 13:10
-	2635	(((recover$3 or reestablish$3 or re-establish$3) near10 (session or connection) and (709/$3 or 370/$6 or 714/$6 or 379/$6 or 455/$6).ccls.)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 09:04
-	374	((((recover$3 or reestablish$3 or re-establish$3) near10 (session or connection) and (709/$3 or 370/$6 or 714/$6 or 379/$6 or 455/$6).ccls.)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)) and (portable or portal or mobile) adj3 (device or PC or component or unit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 13:11
-	33	(((((recover$3 or reestablish$3 or re-establish$3) near10 (session or connection) and (709/$3 or 370/$6 or 714/$6 or 379/$6 or 455/$6).ccls.)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)) and (portable or portal or mobile) adj3 (device or PC or component or unit)) and synchron$7 near3 (parameter or key or status or state)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 12:18

-	0	((((((recover$3 or reestablish$3 or re-establish$3) near10 (session or connection) and (709/$3 or 370/$6 or 714/$6 or 379/$6 or 455/$6).ccls.)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)) and (portable or portal or mobile) adj3 (device or PC or component or unit)) and synchron$7 near3 (parameter or key or status or state)) and compar$4 with synchron$7 near3 (parameter or key or status or state)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 10:51
-	0	((((((recover$3 or reestablish$3 or re-establish$3) near10 (session or connection) and (709/$3 or 370/$6 or 714/$6 or 379/$6 or 455/$6).ccls.)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)) and (portable or portal or mobile) adj3 (device or PC or component or unit)) and synchron$7 near3 (parameter or key or status or state)) and compar$4 with synchron$7 near3 (table or parameter or key or status or state)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 14:59
-	46	((((((recover$3 or reestablish$3 or re-establish$3) near10 (session or connection) and (709/$3 or 370/$6 or 714/$6 or 379/$6 or 455/$6).ccls.)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)) and (portable or portal or mobile) adj3 (device or PC or component or unit)) and synchron$7 near3 (parameter or key or status or state or ID or number)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 13:25
-	27	(((((recover$3 or reestablish$3 or re-establish$3) near10 (session or connection) and (709/$3 or 370/$6 or 714/$6 or 379/$6 or 455/$6).ccls.)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)) and synchronization adj server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 13:04
-	3	((((((recover$3 or reestablish$3 or re-establish$3) near10 (session or connection) and (709/$3 or 370/$6 or 714/$6 or 379/$6 or 455/$6).ccls.)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)) and (portable or portal or mobile) adj3 (device or PC or component or unit)) and synchron$7 near3 (parameter or key or status or state or ID or number)) and (((((recover$3 or reestablish$3 or re-establish$3) near10 (session or connection) and (709/$3 or 370/$6 or 714/$6 or 379/$6 or 455/$6).ccls.)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)) and synchronization adj server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 13:04
-	173	(((((recover$3 or reestablish$3 or re-establish$3) near10 (session or connection) and (709/$3 or 370/$6 or 714/$6 or 379/$6 or 455/$6).ccls.)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)) and (recover$3 or reestablish$3 or re-establish$3) near10 (session or connection).ti,ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 13:33
-	18	((((((recover$3 or reestablish$3 or re-establish$3) near10 (session or connection) and (709/$3 or 370/$6 or 714/$6 or 379/$6 or 455/$6).ccls.)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)) and (recover$3 or reestablish$3 or re-establish$3) near10 (session or connection).ti,ab.) and (portable or portal or mobile) adj3 (device or PC or component or unit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 15:00
-	124	((((((recover$3 or reestablish$3 or re-establish$3) near10 (session or connection) and (709/$3 or 370/$6 or 714/$6 or 379/$6 or 455/$6).ccls.)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)) and (portable or portal or mobile) adj3 (device or PC or component or unit)) and (session or synchron$7) near3 (parameter or key or status or state or ID or number)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 13:26

-	0	(((((recover$3 or reestablish$3 or re-establish$3) near10 (session or connection) and (709/$3 or 370/$6 or 714/$6 or 379/$6 or 455/$6).ccls.)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)) and (recover$3 or reestablish$3 or re-establish$3) near10 (session or connection).ti,ab.) and ((((((recover$3 or reestablish$3 or re-establish$3) near10 (session or connection) and (709/$3 or 370/$6 or 714/$6 or 379/$6 or 455/$6).ccls.)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)) and (portable or portal or mobile) adj3 (device or PC or component or unit)) and (compar$4 or updat$3 or increas$3 or increment$3) near10 (session or synchron$7) near3 (parameter or key or status or state or ID or number))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 13:32
-	0	((((((recover$3 or reestablish$3 or re-establish$3) near10 (session or connection) and (709/$3 or 370/$6 or 714/$6 or 379/$6 or 455/$6).ccls.)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)) and (recover$3 or reestablish$3 or re-establish$3) near10 (session or connection).ti,ab.) and (portable or portal or mobile) adj3 (device or PC or component or unit)) and ((((((recover$3 or reestablish$3 or re-establish$3) near10 (session or connection) and (709/$3 or 370/$6 or 714/$6 or 379/$6 or 455/$6).ccls.)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)) and (portable or portal or mobile) adj3 (device or PC or component or unit)) and (compar$4 or updat$3 or increas$3 or increment$3) near10 (session or synchron$7) near3 (parameter or key or status or state or ID or number))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 13:32
-	29	((((((recover$3 or reestablish$3 or re-establish$3) near10 (session or connection) and (709/$3 or 370/$6 or 714/$6 or 379/$6 or 455/$6).ccls.)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)) and (portable or portal or mobile) adj3 (device or PC or component or unit)) and (compar$4 or updat$3 or increas$3 or increment$3) near10 (session or synchron$7) near3 (parameter or key or status or state or ID or number)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 13:33
-	14991	(recover$3 or reestablish$3 or re-establish$3) near10 (TCP/IP or link or session or connection)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 15:17
-	13007	((recover$3 or reestablish$3 or re-establish$3) near10 (TCP/IP or link or session or connection)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 09:05
-	153	(((recover$3 or reestablish$3 or re-establish$3) near10 (TCP/IP or link or session or connection)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)) and (check$3 or compar$4) with (session or synchron$7) near3 (table or parameter or key or status or state or number or ID)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 15:00
-	43	((((recover$3 or reestablish$3 or re-establish$3) near10 (TCP/IP or link or session or connection)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)) and (check$3 or compar$4) with (session or synchron$7) near3 (table or parameter or key or status or state or number or ID)) and (wireless or (portable or portal or mobile) adj3 (device or PC or component or unit))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 15:01

-		8	(((((recover$3 or reestablish$3 or re-establish$3) near10 (TCP/IP or link or session or connection)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)) and (check$3 or compar$4) with (session or synchron$7) near3 (table or parameter or key or status or state or number or ID)) and (wireless or (portable or portal or mobile) adj3 (device or PC or component or unit))) and (proxy or gateway or server or broker) near10 (recover$3 or reestablish$3 or re-establish$3) near10 (TCP/IP or link or session or connection)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 15:02
-		16	(recover$3 or reestablish$3 or re-establish$3) near10 (TCP/IP or link or session or connection) with (prior or previous) adj5 (session or connection or link) near10 (failed or failure or disrupt$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 15:35
-		14	((recover$3 or reestablish$3 or re-establish$3) near10 (TCP/IP or link or session or connection) with (prior or previous) adj5 (session or connection or link) near10 (failed or failure or disrupt$3)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 15:36
-		54	(recover$3 or reestablish$3 or re-establish$3) near20 (TCP/IP or link or session or connection) with (prior or previous) near20 (session or connection or link) near20 (failed or failure or disrupt$3 or disconnected)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 16:00
-		43	((recover$3 or reestablish$3 or re-establish$3) near20 (TCP/IP or link or session or connection) with (prior or previous) near20 (session or connection or link) near20 (failed or failure or disrupt$3 or disconnected)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 16:01
-		29	(((recover$3 or reestablish$3 or re-establish$3) near20 (TCP/IP or link or session or connection) with (prior or previous) near20 (session or connection or link) near20 (failed or failure or disrupt$3 or disconnected)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)) not ((((recover$3 or reestablish$3 or re-establish$3) near10 (TCP/IP or link or session or connection) with (prior or previous) adj5 (session or connection or link) near10 (failed or failure or disrupt$3)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 15:59
-		1	("5881239").PN.	USPAT	2004/08/31 15:59
-		0	((recover$3 or reestablish$3 or re-establish$3) near20 (TCP/IP or link or session or connection) with (prior or previous) near20 (synchronization) near10 (failed or failure or disrupt$3 or disconnected)) and (@AD <20010627 or @RLAD <20010627 or @PRAD <20010627)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 16:01
-		2	(recover$3 or reestablish$3 or re-establish$3) near20 (TCP/IP or link or session or connection) with (prior or previous) near20 (synchronization) near10 (failed or failure or disrupt$3 or disconnected)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/31 16:32
-		2	("20030005161").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/01 09:04